


JUN 27 1979

# OHIO HISTORIC INVENTORY

1. No. <u>18</u>	4. Present Name(s) Furnace Run Aqueduct
2. County Summit	5. Other Name(s)
3. Location of Negatives OHS	

6. Specific Location  
200 feet east of Riverview Rd. at Furnace Run

7. City or Town If Rural, Township & Vicinity  
Northampton Twp., vic. Everett



9. Coordinates

Lat. \_\_\_\_\_ Long. \_\_\_\_\_

U.T.M. Reference

17	4	5	1	9	8	0	4	5	6	1	0	9	0
----	---	---	---	---	---	---	---	---	---	---	---	---	---

Zone \_\_\_\_\_ Easting \_\_\_\_\_ Northing \_\_\_\_\_

10. Site Building  Structure  Object

11. On National Register? Yes  No

12. Is It Eligible? Yes  No

13. Part of Estab. Hist. Dist.? Yes  No

14. District Potent'l? Yes  No

15. Name of Established District

16. Thematic Category  
F, H, I

17. Date(s) or Period  
1825-1827

18. Style or Design

19. Architect or Engineer

20. Contractor or Builder

21. Original Use, if apparent  
canal aqueduct

22. Present Use  
--

23. Ownership Public  Private

24. Owner's Name & Address, if known  
State of O., Dept. of Public Works  
65 S. Front St., Columbus

25. Open to Public? Yes  No  unrestricted

26. Local Contact Person or Organization  
Summit County Hist. Soc.

27. Other Surveys in Which Included  
included in "Ohio & Erie Canal historic civil engineering landmark, Ohio Council ASCE"

Approx. Acreage: less than 1

28. No. of Stories

29. Basement? Yes  No

30. Foundation Material

31. Wall Construction

32. Roof Type & Material

33. No. of Bays Front \_\_\_\_\_ Side \_\_\_\_\_

34. Wall Treatment

35. Plan Shape irregular

36. Changes (Explain in #42) Addition  Altered  Moved

37. Condition ~~xxxx~~ poor  
~~xxxx~~

38. Preservation Underway? Yes  No

39. Endangered? By What? Yes  No  decay

40. Visible from Public Road? Yes  No

41. Distance from and Frontage on Road  
200' X 50'

42. Further Description of Important Features  
Cut stone (probably sandstone) abutments of former canal aqueduct. The canal is dry at this point.



43. History and Significance  
Only the cut stone abutments remain of this former aqueduct that carried the Ohio and Erie Canal over Furnace Run. That portion of the canal between Akron and Cleveland opened July 4, 1827.

44. Description of Environment and Outbuildings  
Rural. "Johnny Cake Lock" is approximately 1/4 mile to the north at Everett.

45. Sources of Information  
Interview with Margot Jackson, Peninsula Public Library, Peninsula, Ohio, 19 April 1976.  
Frank Wilcox, The Ohio Canals, selec. and ed. William A. McGill (Kento, O.: Kent State University Press, 1969), p. 14.

46. Prepared by  
Carol Poh Miller

47. Organization

48. Date  
4/76

49. Revision Date(s)

18  
Summit  
Furnace Run Aqueduct  
Other Name(s)